

### Features

- Multifunction handshower offers full-coverage and targeted massage spray settings.
- Ergonomic design is comfortable and easy to grip.
- MasterClean™ sprayface resists hard water buildup for easy cleaning.
- 1.75 gpm (gallons per minute) flow rate.
- Contains flow-regulating check valve for backflow prevention.

### Water Conservation & Rebates

- This product can help a building earn Water Efficiency points in the LEED Green Building Rating System.

### Required Products/Accessories

K-8593 72" Shower Hose  
K-9069 24" shower slidebar

or

K-9069 24" shower slidebar  
K-9514 60" Shower Hose

or

K-14791 wall-mount handshower holder with supply elbow  
K-8593 72" Shower Hose

or

K-14791 wall-mount handshower holder with supply elbow  
K-9514 60" Shower Hose

or

K-14789 deck- or bath-mount handshower holder with hose

### Optional Products/Accessories

K-9660 Vacuum Breaker



OBC

### Codes/Standards


ASME A112.18.1/CSA B125.1  
DOE - Energy Policy Act 1992  
EPA WaterSense®  
California Energy Commission (CEC)  
OBC




### KOHLER® Faucet Lifetime Limited Warranty

See website for detailed warranty information.

### Available Colors/Finishes

*Color tiles intended for reference only.*

Color	Code	Description
	CP	Polished Chrome
	SN	Vibrant® Polished Nickel
	BGD	Vibrant® Moderne Brushed Gold
	BN	Vibrant® Brushed Nickel
	BV	Vibrant® Brushed Bronze
	2BZ	Oil-Rubbed Bronze
	BL	Matte Black
	RGD	Vibrant Rose Gold
	TT	Vibrant Titanium



### Technical Information

All product dimensions are nominal.

Drain included: No

### Handshower:

Rated maximum flow: 1.75 gal/min (6.6 l/min)

Pressure: 80 psi (5.5 bar)

### Notes

For use with automatic compensating valves rated at 1.5 gal/min (5.7 l/min) or less.

Install this product according to the installation instructions.

Plumbing codes may require that a vacuum breaker be installed in-line to handshowers.

Please consult local plumbing codes.

OBC compliant when installed to the specific requirements of these regulations.