

Standard

### **PRODUCT DESCRIPTION:**

5 days Adjustable feet Contemporary style With skirt and integrated tiling flange Gloss finish resistant to stains and discoloration Acrylic thermoformed and reinforced with fiberglass WATER CAPACITY: **IMMERSION:** 51 gallons 12 1/4 po **BOX SIZE:** 63" x 33 1/4" x 23" **NET WEIGHT: GROSS WEIGHT:** 68 lbs 85 lbs

The electronic control will be installed on the same side as the tiling flange.

Included: 6 square turbo jets, 5 square micro-rotating back jets, 13 A

pump, diverter valve and electronic control.

Included: 16 (11-5) injectors, Optima blower 750W (1 1/2h.p.) with 300W heating element and

Included: 45 micro-jets, Optima blower

Mass-Air/Whirlpool Combo

Included: 6 square turbo jets, 5 square

diverter valve and backlit electronic control.

and backlit electronic control.

750W (1 1/2h.p.) with 300W heating element

#### Bathtub only

Whirlpool

Mass-Air

Activ-Air

backlit electronic control.

ZO3260

Z03260T

Z03260M

Z03260A

Z03260C

Others\*: (Allow 6 to 8 weeks delivery) Available in right or left version (integrated tiling flange)

Biscuit\* and Bone\* (Allow 3 weeks delivery)

**GENERAL OPTIONS** 

Acrylic Colors: White

Chromotherapy 1 light (Specify trim color)	17.99999.0000.00
Chromotherapy 2 lights (Specify trim color)	17.99999.0001.00
Chromotherapy 4 lights (Specify trim color)	17.99999.0002.00
Handle (max. 2) (submit drawing with order)	95.7077.106.XX
ZORA 60 Removable Skirt (Not factory installed)	
D105 Waste (20") Chrome	62.4020.102.60
Gel black neck pillow (12"x 4 1/4 x 1 1/4")	18.6000.100.20
Rayola** (Specify control color)	

#### WHIRLPOOL OPTIONS A bathtub fitted with back jets may cause the pump to protrude by +/- 3" from the overall dimension. Standard Whirlpool Jet finish: Chrome, White, Biscuit, Bone **110v Inline Heater** MASS-AIR/ACTIV-AIR OPTIONS Mass-Air Jet finish: White/Chrome Standard Biscuit/Chrome Bone/Chrome Others: Chrome/Chrome Activ-Air Jet finish: Chrome, White, Biscuit, Bone Standard Blower Hose extension 72" 95.5013.167.00 Blower Hose extension 96' 95.5013.168.00

An extension cord and blower hose extension are necessary when the blower is located more than 2' from the electronic control, not available on whirlpool combos.



\*\*\*\*\*\*\*\*\*\*\*\*

\*\*\*\*\*\*\*\*\*

### Activ-Air/Whirlpool Combo

Z03260CA

Included: 6 square turbo jets, 5 square micro-rotating back jets, 39 Activ-Air micro-jets, 13 A pump, Optima blower 750W (1 1/2h.p.) with 300W heating element, diverter valve andbacklit electronic control.

micro-rotating back jets, 11 Mass-Air injectors, 13 A pump,

Optima blower 750W (1 1/2h.p.) with 300W heating element,

\*Customized products, non cancellable, non returnable \*\*Not available with a neck pillow.

144" Extension cord



#### Mass-Air/Activ-Air Combo

Z03260CMA Included: 45 Activ-Air micro-jets, 11 Mass-Air injectors, two Optima blowers 750W (1 1/2h.p.) with 300W heating element and backlit electronic control.



Activ-Air/Mass-Air/Whirlpool Combo Z03260TAM Included: 6 square turbo jets, 5 square micro-rotating back jets, 39 Activ-Air micro-jets, 11 Mass-Air injectors, 13 A

pump, two Optima blowers 750W (1 1/2 h.p.) with 300W heating element, diverter valve and backlit electronic control.



COMPLIANCE ATTESTATION Standard bathtubs CAN / CSA.B45.5 Hydromassage Standards CAN / CSA.B45.10 / CSA.C22.2 / UL-1795



#### Certification ECORESPONSIBLE

First manufacturer of bathroom products in North America to be certified ecoresponsible.

95.3012.101.00






6835, Picard street, Saint-Hyacinthe (Quebec) J2S 1H3 Phone: (450) 773-7058 - produitsneptune.com



# **ZORA 3260** RIGHT DRAIN WITH INTEGRAL SKIRT

Bathtub



Rear view


\*A bathtub fitted with back jets can cause the pump to protrude by approximately 3" from the overall dimension.

\*\*All dimensions are approximate and subject to change without notice. Please refer to the installation guide before beginning the installation



## **ZORA 3260** LEFT DRAIN WITH INTEGRAL SKIRT

## Bathtub



\*A bathtub fitted with back jets can cause the pump to protrude by approximately 3" from the overall dimension.

\*\*All dimensions are approximate and subject to change without notice. Please refer to the installation guide before beginning the installation